

20
Litre

20
Litre

20
Litre

1000
Litre

1000
Litre

1000
Litre

WARNING
NOT FOR HUMAN CONSUMPTION
KEEP OUT OF REACH OF CHILDREN

DONAGHYS
N-Boost[®]

FOR PASTURE AND SELECTED CROPS

ACTIVE INGREDIENTS INCLUDE
>0.5g/L Adenine compounds
Amino acids

NET CONTENTS

200
Litre

DONAGHYS
PERFORMANCE FIRST

CAUTION: NOT FOR HUMAN CONSUMPTION

KEEP OUT OF REACH OF CHILDREN

READ THE ENTIRE LABEL BEFORE USE

Donaghys N-Boost[®] is a patented nitrogen booster using world first technology designed to increase pasture growth and crop yields.

PASTURE APPLICATION

The N-Boost[®] System (designed for application on pasture) is 40kg/ha of urea dissolved in water with 3L/ha of N-Boost[®], typically spraying at 200L/ha. Select the spray volume required from the application chart and mix as stated. Add N-Boost[®] just before spraying. Urea is easily dissolved in water in an N-Boost[®] Mixing station (supplied free* by Donaghys) or by agitating in a spray tank. The N-Boost[®] and dissolved urea solution is then foliar sprayed onto pasture with a conventional boom sprayer or boom jet.

* See www.donaghys.com for terms and conditions.

| Steps | Spray Volume (L) | 200L | 600L | 800L | 1000L | 2000L | 5000L |
|-------|---|------|-------|-------|-------|-------|--------|
| 1 | Initial water volume added | 100L | 400L | 500L | 600L | 1200L | 3500L |
| 2 | Urea amount (maintain continuous agitation) | 40kg | 120kg | 160kg | 200kg | 400kg | 1000kg |
| 3 | N-Boost [®] product added (after urea has dissolved) | 3L | 9L | 12L | 15L | 30L | 75L |
| 4 | Top up water to total volume | 200L | 600L | 800L | 1000L | 2000L | 5000L |
| 5 | Area of application (200L spray mix/hectare) | 1ha | 3ha | 4ha | 5ha | 10ha | 25ha |

CROP APPLICATION

In cropping situations, 3-6L/ha of N-Boost[®] is applied as a foliar application with water, sprayed at an appropriate water volume (50-200L/ha). The N-Boost[®] solution is then applied to the target crop at specific growth stages in addition to standard fertiliser applications.

| Crop type | Application rate | Application time |
|------------------|------------------|---|
| Lucerne | 3L/ha | 3-5 days after cutting (and repeat after each successive cut) |
| Maize grain | 3L/ha | Between V4 and V9 |
| Maize silage | 6L/ha | Between V4 and V9 |
| Cotton | 6L/ha | At 1st flowering and repeat 2 weeks later |
| Forage Brassicas | 3-6L/ha | During vegetative growth |
| Forage Sorghum | 6L/ha | Between V4 and V9 |
| Onions | 3-6L/ha | At 1st true leaf fall and repeat at bulb formation |
| Peppers | 6L/ha | At 1st flowering and repeat 3 weeks later |
| Potatoes | 6L/ha | At Tuber initiation and repeat 3 weeks later |
| Rice | 3L/ha | Between Panicle initiation and heading |
| Sugarcane | 3L/ha | At 50cm cane height and repeat after 30 days |

Conditions and timing for spraying N-Boost[®] on to other crops vary depending on individual crop types. Contact your local Donaghys Territory Manager for further information.

NOTE

- N-Boost[®] should only be used when a nitrogen response can be expected
- Soil temperatures must be 10°C or above
- Ensure sufficient pasture cover for optimum foliar uptake (1400-1600kg DM/ha)
- For best results apply the N-Boost[®] System 3-5 days after grazing.
- Sufficient soil moisture content is required for pasture to respond
- Avoid application in very hot or windy conditions or within 6 hours of impending heavy rain

COMPATIBILITY WITH OTHER CHEMICALS

N-Boost[®] can be applied with a number of other liquid chemicals including commonly used herbicides, fungicides and pesticides. Do not use with solid products that stay in suspension unless you have tank agitation in your spray equipment. Donaghys recommend spraying a test area to check compatibility and efficacy.



FOR PASTURE AND SELECTED CROPS

FIRST AID

If medical advice is needed, have product container or label at hand.

IF SWALLOWED: Rinse mouth and drink plenty of water. Call a POISON CENTRE or doctor/physician if you feel unwell.

IF ON SKIN (or hair): Rinse skin and/or hair with water (shower).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for several minutes.

FOR ADVICE OR IF YOU FEEL UNWELL CONTACT:

NEW ZEALAND: National Poison Centre 24 hour phone: 0800 POISON (0800 764 766)

STORAGE

Keep only in original container, tightly closed and away from foodstuffs. Store locked up in a cool and dark place out of the sun. Once opened the N-Boost[®] product must be used within 3 months.

DISPOSAL:

Dispose of contents by spraying out. Rinse container in water and dispose at plastic recycling depot/collection point. Donaghys is a member of Agrecovery so please take empty triple rinsed containers to an Agrecovery site. Visit www.agrecovery.co.nz or freephone 0800 247 326 for further information.

IMPORTANT NOTE - CONDITIONS OF SALE ACCEPTANCE AND USE OF THIS PRODUCT WILL BE DEEMED TO BE ACCEPTANCE OF THESE CONDITIONS OF SALE.

Results from the use of this product may be affected by factors beyond Donaghys control. These factors include but are not limited to mixing, use, time of application, weather, soil conditions, crop and crop lifecycle, even though the product is reasonably fit for its stated purpose and label directions have been followed. Donaghys will replace any defective product free of charge, but to the extent permitted by law all other warranties, representations, conditions or obligations whether imposed or implied by law or otherwise, and the manufacturer's and supplier's liability for any indirect special or consequential losses or damages of any kinds arising out of the supply and / or use of this product, including where it arises out of negligence, are expressly excluded. **IN ANY EVENT, TO THE EXTENT PERMITTED BY LAW, THE MANUFACTURER'S AND SUPPLIER'S LIABILITY ARISING OUT OF THE SUPPLY AND / OR USE OF THIS PRODUCT IS LIMITED TO THE AMOUNT PAID FOR THE SPECIFIC PRODUCT.**

DONAGHYS
PERFORMANCE FIRST

MANUFACTURED AND DISTRIBUTED BY
DONAGHYS LTD
16 SHEFFIELD CRESCENT, PO BOX 20 449, HAREWOOD, CHRISTCHURCH
PHONE 0800 942 006 www.donaghys.com

